

=====I. PRODUCT IDENTIFICATION=====

Trade Name: Liquid Latex/LL-400 Acrylic Patch Additive & Sealer

Chemical names, common names: Synthetic latex dispersion

Manufacturer's Name: Roberts Capitol
Address: 300 Cross Plains Blvd.
Dalton, GA 30720

Emergency Phone: 706-277-5294
Business Phone: 706-277-5294
Date prepared: 02/18/09

By: M. King

HMIS Rating: H = 1 F = 0 R = 0

=====II. HAZARDOUS INGREDIENTS=====

Chemical Names	CAS Numbers	Percent	Exposure Limits in Air	
			ACGIH (TWA)	OSHA (STEL)
*Vinyl Acetate	108-05-5	<0.12%	10 ppm	20 ppm

*Note: Vinyl Acetate is not hazardous as defined by OSHA Regulation 29CFR 1910.1200; Capitol is providing this information in the spirit of Responsible Care to our customers.

Reportable hazardous chemicals for SARA TITLE III Section 311, 312, 313:

NONE

=====III. PHYSICAL PROPERTIES =====

Vapor Density (Air=1): Greater than 1
Solubility in Water: Miscible
Vapor Pressure (mmHg at 20c): Same as water
Evaporation rate (nBuAc=1): Same as water
Appearance & odor: White; slight acrylic odor.

Boiling Point: 212F
Specific gravity: 1.04
pH: 8 - 9

Percent Volatile: 82% by weight (water)
VOC calculated:(Material) 0 grams/liter; (Coating) VOC: 0 grams/liter

=====IV. FIRE AND EXPLOSION=====

Flash point, Pensky-Martens C.C: NA
Auto-Ignition Temperature, F: NA
Flammable limits in air, Volume %: Lower: Not Applicable Upper: NA
Fire Extinguishing Materials:

- Water Spray Carbon Dioxide Other:
- Foam Dry Chemical

Special Firefighting Procedures: Wear self-contained breathing apparatus.

Unusual Fire and Explosion Hazards: None known

=====

===== V. HEALTH HAZARD INFORMATION =====

SYMPTOMS OF OVEREXPOSURE

Inhalation: May cause slight irritation to upper respiratory tract.
Eyes: May cause slight irritation.
Skin: May cause slight irritation.
Ingestion: Not a likely route of entry under proper handling conditions.
May cause vomiting. Symptoms may be the same as inhalation.

HEALTH EFFECTS OR RISKS FROM EXPOSURE

Acute: May cause mild skin irritation, irritation of respiratory tract.
Chronic: None known.

FIRST AID: EMERGENCY PROCEDURES

Eye contact: Flush with water for at least 15 minutes. If irritation persists, seek medical attention.
Skin contact: Wash with soap and water. If irritation persists, see a physician.
Inhalation: Remove to fresh air, administer oxygen and if necessary, seek medical attention.
Ingestion: Not a likely route of entry under proper handling conditions. Seek medical attention if necessary.

SUSPECTED CANCER AGENT?

NO: X

YES: _____ Federal OSHA _____ NTP _____ IARC _____ Cal/OSHA

Note: This product contains small amounts of vinyl acetate monomer, which is classified by IARC as a Group 2B substance. ACGIH evaluated vinyl acetate (1993) as an A3 Animal Carcinogen. Available evidence suggests that the agent is not likely to cause cancer in humans except under uncommon or unlikely routes of exposure. The International Agency for Research on Cancer (IARC) published a monograph on vinyl acetate (1995) indicating that "there is inadequate evidence in humans for carcinogenicity of vinyl acetate. There is limited evidence in experimental animals for carcinogenicity of vinyl acetate." Normally, this lack of conclusive evidence would place a substance in the IARC Category 3 classification (not classified as a human carcinogen).

However, because vinyl acetate is metabolized to acetaldehyde, an IRAC 2B (possibly carcinogenic to humans) classified substance, it also has been listed under Category 2B.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: None Known

=====VI. REACTIVITY DATA=====

Stability: X Stable Unstable

Conditions to Avoid: Protect from freezing.

Incompatibility (Materials to Avoid): Oxidizing materials

Hazardous Decomposition Products (including combustion products):
Oxides of carbon, water and organic compounds of unknown structure.

Hazardous Polymerization: Does not occur

Conditions to Avoid: None known.

Corrosive to Metal: No Oxidizer: No

=====VII. SPECIAL HANDLING INFORMATION=====

Ventilation and Engineering Controls: Use local exhaust. Do not use closed air circulating system. Open windows and doors, if necessary.

Respiratory Protection: Normally none required. Use product in a well ventilated area. Use NIOSH approved respirator if irritation to respiratory tract. If vapors or mists are generated, wear NIOSH/MSHA approved organic vapor/mist respirator.

Eye Protection: Chemical goggles or face shield. Gloves: Chemical resistant gloves.

Other clothing and Equipment: If clothing becomes contaminated, remove and clean before re-wearing.

Work Practices, Hygienic Practices: Follow all label instructions.

Protective Measures During Maintenance of Contaminated Equipment:

Use goggles and gloves when cleaning adhesive from equipment.
Maintain proper ventilation.

=====**VIII. SPILL, LEAK, AND DISPOSAL PROCEDURES**=====

Keep out of sewer systems to prevent blockage due to polymer deposits. Soak up material with absorbent material (sand, sawdust) and place into closed containers for disposal.

Note: Dispose of all wastes in accordance with Federal, State and Local regulations.

=====**IX. Storage & Handling DATA**=====

Other Handling and Storage requirements: Protect against physical damage. Store in a cool, dry place (50F - 90F). Keep away from excessive heat. Protect from freezing.

=====**X. Regulatory Information** =====

Hazardous Waste 40CFR261: NO

Hazardous Waste Number:

Hazardous Substance Superfund: NO

RQ(lbs):

All components are in TSCA inventory.

=====**XI. SHIPPING DATA**=====

D.O.T. Proper Shipping Name (49CFR172.101-102): Latex, sealer.

Hazardous Substance (49CFR CERCLA list): No.

RQ: N/A

D.O.T. Hazard Classification (49CFR 172.101-102):

Primary: None

Secondary: None.

D.O.T. Labels Required (49CFR172.101-102): None.

D.O.T. Placards Required (CFR172.504): None.

Poison Constituent (49CFR172.203(K)): None.

Bill of Lading Description: Latex, synthetic, liquid

UN/NA Code: N/A

Roberts Capitol believes the data set forth herein are accurate as of the date hereof, and makes no warranty with respect thereto and expressly disclaims all liability for reliance thereon. Such data are offered solely for your consideration, investigation and verification.