

SECTION I - PRODUCT IDENTIFICATION

Manufacturer's Name: Capitol USA, LLC
Address: 300 Cross Plains Blvd., Dalton, GA 30720
Emergency Phone: 706-277-5294
Product Class: Non Flammable SBR Rubber Adhesive
Product Identity: P 088 Non-Flammable Wood Adhesive

Business Phone: 1-706-277-5294

DOT Hazard Classification: Adhesives, Class 6.1
Poison: Class 6

SECTION II - HAZARDOUS COMPONENTS

Trichloroethylene CAS #: 79-01-6
Mineral Spirits CAS #8052-41-3

Perchloroethylene CAS #127-18-4
Aliphatic Petroleum Distillates CAS #64742-89-8

SECTION III - PHYSICAL DATA

Initial Boiling Point: 162°F **Vapor Pressure:** 100.0 mm Hg @ 68° F **Vapor Density:** 4.60
Specific Gravity: 1.4 **Percent Volatiles:** 33.5% **G/L VOC:** 136 g/l

SECTION IV - FIRE AND EXPLOSION DATA

Flash Point: NA **Explosive Limit:** NA **Extinguishing Media:** Water Fog
Hazardous Decomposition Products: May form toxic materials: carbon dioxide and carbon monoxide, hydrogen chloride, phosgene, various hydrocarbons of unknown structure.
Unusual Fire and Explosion Hazards: Never use welding or cutting torch on or near cans (even empty) because resultant pressure could rupture. Empty cans should be incinerated.
Special Fire Fighting Procedures: Water may be used to keep fire-exposed containers cool until fire is out. Wear self contained breathing apparatus with full face-piece operated in pressure-demand or other positive pressure mode when fighting fires.

SECTION V - HEALTH HAZARD DATA

TWA: Trichloroethylene - 50 ppm / Perchloroethylene - 25ppm.

EFFECTS OF EXPOSURE: **Eyes-** Can cause irritation redness, tearing, blurred vision. **Skin-** Prolonged or repeated contact can cause moderate irritation, defatting, dermatitis. **Breathing-** Excessive inhalation of vapors can cause nasal and respiratory irritation, dizziness, weakness, fatigue, nausea, headache, and even asphyxiation.

FIRST AID: **Skin-** Soap and water. **Eyes-** Flush with water, lifting upper and lower lids occasionally. **Ingestion-** Do not induce vomiting. Call physician or transport to an emergency facility. **Inhalation-** If affected, remove individual to fresh air. If breathing is difficult, administer oxygen. If breathing has stopped, give artificial respiration. USE ONLY IN WELL VENTILATED AREAS.

SECTION VI - REACTIVITY DATA

Stability: Stable

Hazardous Polymerization: Cannot Occur

SECTION VII - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Absorb liquid on paper, vermiculite, floor absorbent, or other absorbent material and transfer to hood. Allow volatile portion to evaporate in hood. Allow sufficient time for vapors to completely clear hood duct work. Dispose of remaining material in accordance with applicable regulations.

SECTION VIII - PROTECTIVE EQUIPMENT

VENTILATION: Adequate ventilation is essential to prevent vapor buildup. Open all available windows and entrances to insure good ventilation. Use fans to accelerate ventilation.

RESPIRATOR PROTECTION: Adequate ventilation is normally sufficient. If eyes begin to water or dizziness or headaches are experienced, increase fresh air supply, wear an NIOSH approved respirator, or leave the area.

PROTECTIVE GLOVES: Wear protective gloves to prevent skin contact.

EYE PROTECTION: Wear glasses or protective goggles to avoid splashes.

OTHER PROTECTIVE EQUIPMENT: None required. WASH HANDS THOROUGHLY WITH SOAP AND WATER.

SECTION IX - SPECIAL PRECAUTIONS

WARNING! Contains **Trichloroethylene and Perchloroethylene**/Harmful if inhaled and may cause liver and kidney damage. Caution: Perchloroethylene and Trichloroethylene are classified as 2A substances by the International Agency for Research on cancer (IARC) and is listed under California Proposition 65. According to the American Conference of Governmental Industrial Hygienists (ACGIH) the available animal and human evidence suggests that perchloroethylene and Trichloroethylene are "not likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure." **KEEP OUT OF REACH OF CHILDREN.** Use only in applications as stated on the label. Do not take internally. Close container after each use. Avoid skin and eye contact.